

CEFA**MEDIUM SIZE**

fumagalli®
 since 1973

Square lantern in classic style, made in shockproof resin material, UV rays stabilized, rust and corrosion-free. Modular construction suitable for post top, hanging and wall installation. E27 or GX53 LED versions (3W, 7W and 10W) available. Insulation class II, protection rating IP 55.

Lanterna quadra in stile classico, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a palo, a sospensione o a parete. Disponibile nelle versioni E27 e a GX53 LED (3W, 7W e 10W). Classe di isolamento II, grado di protezione IP55.

**U23.120**

CEFA - LANTERN COMPONENTS



Decorative **PINNACLE** to be mounted on the roof top for post installation or on the lantern base for hanging installation.

PINNACOLO decorativo applicabile alla sommità del tetto (montaggio a palo) o sulla base della gabbia (montaggio a sospensione).

IP55



Lantern **ROOF**, tool-free opening for relamping and maintenance. Made by shockproof resin material, UV rays stabilized, rust and corrosion free. Provided with E27 or GX53 lampholder.

TETTO removibile senza l'ausilio di attrezzi per manutenzione e cambio lampadina. Realizzato in resina antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Completo di portalamпада E27 o GX53.



Luminaire **DIFFUSER** of UV stabilized PMMA, one piece only, with recess for a power supply cable, available in clear or opal colour.

DIFFUSORE in polimetilmetacrilato (PMMA) resistente all'ingiallimento ed ai raggi UV, disponibile in colore trasparente od opale, realizzato in unico pezzo, provvisto di sede per alloggiamento del cavo elettrico di alimentazione.

CAGE made by shockproof resin material, UV rays stabilized, rust and corrosion-free.

GABBIA realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.

CEFA

U23.000 *



Dimensions and weight

Height: 380 mm
Width: 230 mm
Depth: 230 mm
Weight: 1,2 Kg

Moulded colours:

Black White

Painted colours:

Antique green Antique bronze

Diffuser PMMA:



Clear Opal

AVAILABLE LAMPS

		Add. Suffix	
MAX 60 W GLS CFL LED	E27 MAX 160 mm	.E27	
LED LAMP INCLUDED	GX53 3W 350 lm	4000 K	.G1L
		3000 K	.G1R
LED LAMP INCLUDED	GX53 7W 700 lm	4000 K	.C1L
		3000 K	.C1R
LED LAMP INCLUDED	GX53 10W 1000 lm	4000 K	.D1L
		3000 K	.D1R

*ADD THE ABOVE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

PHOTOMETRIC DATA SAMPLE



CEFA lantern clear GLS 60W.

POST height 1 mt
6x6mt area: average 6 lux


The photometric data for all the versions are available upon request or on our website.

3W - GX53 Lamp	4000 K: H.LED.G53
	3000 K: H.LED.G53.3K
7W - GX53 Lamp	4000 K: H2.LED.G53
	3000 K: H2.LED.G53.3K
10W - GX53 Lamp	4000 K: H3.LED.G53
	3000 K: H3.LED.G53.3K



LED VERSION WITH GX53 LAMP INCLUDED

	Power	Luminous Flux	Kelvin Colour	Life Time (hours)	Voltage Range		SAVE
GX53	3W	350Lm 115 lm/W	4.000K 3.000K	25.000h	100-240V 50/60 Hz	= 40W INCANDESCENT	-93%
GX53	7W	700Lm 100 lm/W	4.000K 3.000K	25.000h	100-240V 50/60 Hz	= 75W INCANDESCENT	-90%
GX53	10W	1.000Lm 100 lm/W	4.000K 3.000K	25.000h	100-240V 50/60 Hz	= 100W INCANDESCENT	-90%






BISSO/CEFA

U23.131


Pcs 12
Kg 20,8
mc 0,225



ALOE'.R/CEFA

U23.163 resin


Pcs 2
Kg 7,4
mc 0,121



GIGI BISSO/CEFA 3+1

U23.156.S31


Pcs 1
Kg 15,9
mc 0,182



RICU BISSO/CEFA 3+1

U23.157.S31


Pcs 1
Kg 16,2
mc 0,214



CEFA

U23.000


Pcs 1
Kg 1,26
mc 0,018



MINILOT/CEFA

U23.111


Pcs 12
Kg 20,8
mc 0,225



GIGI BISSO/CEFA 2+1

U23.156.S21


Pcs 1
Kg 14,7
mc 0,182



RICU BISSO/CEFA 2+1

U23.157.S21


Pcs 1
Kg 15,2
mc 0,214



SICHEM/CEFA

U23.120


Pcs 12
Kg 20,8
mc 0,225



PORPORA/CEFA

U23.141


Pcs 1
Kg 4
mc 0,034



GIGI BISSO/CEFA 3L

U23.156.S30


Pcs 1
Kg 14,7
mc 0,182



RICU BISSO/CEFA 3L

U23.157.S30


Pcs 1
Kg 15,2
mc 0,214



ARTU'/CEFA

U23.158

Pcs 1
Kg 9,6
mc 0,148



GIGI/CEFA

U23.156


Pcs 1
Kg 11,6
mc 0,172



GIGI BISSO/CEFA 2L

U23.156.S20


Pcs 1
Kg 13,5
mc 0,182



RICU BISSO/CEFA 2L

U23.157.S20


Pcs 1
Kg 14,2
mc 0,214



IAFET.R/CEFA

U23.162 resin

Pcs 2
Kg 7,3
mc 0,086



MIZAR/CEFA

U23.151 resin

Pcs 1
Kg 3,5
mc 0,07

